

# ALL ABOUT **SIGNS**

# SAFETY SIGN CATALOGUE

**SAFETY**

**FIRST**

**NZSDA**  
NZ SIGN & DISPLAY ASSOCIATION (INC.)

**NZ Sign & Display  
Association**

**NEW ZEALAND  
SIGN GROUP**

**SITE SAFE**  
MEMBER

[www.allaboutsigsns.co.nz](http://www.allaboutsigsns.co.nz)

# Safety Sign Index

## FIRE & EMERGENCY ESCAPE SIGNS

6, 7, 8



## GENERAL SAFE CONDITION & FIRST AID SIGNS

9



## FIRE EQUIPMENT SIGNS

10



## FIRE ACTION MANDATORY SIGNS

11



## MANDATORY SAFETY SIGNS

12 - 15



## HAZARD WARNING SIGNS

16 - 20



## PROHIBITION SIGNS

20 - 24



## MULTI-MESSAGE SIGNS

25 - 26



## PHOTOLUMINESCENT SIGNS

27 - 28



## SIGN SIZING AND MATERIALS

We can manufacture signs in any size and on any material, the common sizes and materials are below.



This shape


250x135mm  
600x335mm  
800x445mm  
or any Custom size



This shape

200x200mm  
300x300mm  
600x600mm  
800x800mm  
or any Custom size

### Materials



ACM - Aluminium Composite Material  
Ridgid indoor/outdoor material  
10 year grade product



Foam PVC - Hard outer foamed centred.  
Indoor grade material



Rigid PVC - Solid PVC  
Indoor/outdoor grade material

# FIRE & EMERGENCY ESCAPE SIGNS

Fire exit / running man right / arrow up



FE 101

Fire exit / running man right / arrow down



FE 109

Fire exit / running man right / arrow right



FE 102

Arrow left / running man left / fire exit



FE 110

Arrow down left / running man left / fire exit



FE 103

Fire exit / running man right / arrow right down



FE 111

Fire exit / running man right / arrow up



FE 104

Fire exit / running man right / arrow down



FE 112

Fire exit / running man right / arrow right



FE 105

Arrow left / running man left / fire exit



FE 113

Fire exit / running man right / arrow down right



FE 106

Arrow left / running man left / fire exit / running man right / arrow right



FE 114

Man running left / fire exit



FE 107

Fire exit / running man right



FE 115

Running man / Fire exit / Keep clear



FE 108

Exclamation / Fire exit / Keep clear



FE 116

# FIRE & EMERGENCY ESCAPE SIGNS

Running man left / fire exit



FE 117

Fire exit / running man right



FE 124

Running man left / exit



FE 118

Exit / running man right



FE 125

Running man right / arrow down



FE 119

Running man right / arrow up



FE 126

Running man right / arrow right



FE 120

Arrow left / running man left



FE 127

Arrow



FE 121

Running man right symbol



FE 122

Running man left symbol



FE 123

# FIRE & EMERGENCY ESCAPE SIGNS

Push - vertical



FE 128

Pull - vertical



FE 136

Turn left to open



FE 129

Turn right to open



FE 137

In case of emergency break glass bolt to open



FE 130

In case of fire break glass



FE 138

Push bar to open



FE 131

Assembly point - letter




FE 139

Assembly point - number



FE 132

Your fire assembly point is...



FE 140

Fire assembly point



FE 133

Emergency assembly point



FE 141

Emergency assembly point



FE 134

Disabled symbol / Safe area



FE 142

Safe area



FE 135


# GENERAL SAFE CONDITION & FIRST AID SIGNS

Eye wash



GEN FIRST 201

Emergency shower



GEN FIRST 208

Drinking water



GEN FIRST 202

Cigarette symbol / smoking area



GEN FIRST 209

First aid room



GEN FIRST 203

First aid box



GEN FIRST 210

First aid station



GEN FIRST 204

First aid



GEN FIRST 211

First aiders are




GEN FIRST 205

Cross symbol (square)




GEN FIRST 212

The nearest first aid box is situated / person in charge



GEN FIRST 206

Your first aider is / located at



GEN FIRST 213

First aid for this department is available from



GEN FIRST 207

Emergency stop push button



GEN FIRST 214



# FIRE EQUIPMENT SIGNS

Fire extinguisher



FIRE 301

CO<sub>2</sub>



FIRE 309

Fire hydrant



FIRE 302

Water extinguisher



FIRE 310

Fire alarm



FIRE 303

Dry riser



FIRE 311

Fire point



FIRE 304

Fire alarm call point



FIRE 312

Fire extinguisher



FIRE 305

Fire hose reel



FIRE 313

Not for use on electrical fires



FIRE 306

For use on electrical fires



FIRE 314

Fire extinguisher



FIRE 307

Fire alarm



FIRE 315

Fire point



FIRE 308

Emergency stop push button



FIRE 316

# FIRE ACTION MANDATORY SIGNS

Automatic fire door Keep clear



MAN 301

Fire door keep shut



MAN 308

Keep locked shut



MAN 302

This door must be kept closed



MAN 309

Keep this door closed



MAN 303

Fire escape Keep clear



MAN 310

This door to be kept shut when not in use



MAN 304

Keep shut Fire door



MAN 311

Keep clear Fire escape



MAN 305

Keep clear



MAN 312

Keep this area clear of all obstructions




MAN 306

Exit from emergency escape route Keep clear



MAN 313

This stairway and exit to be kept clear



MAN 307

# MANDATORY SAFETY SIGNS

Wash hands




MAN 314

Now wash your hands please



MAN 318

Health and safety at work act 1974



MAN 315

Waste material



MAN 319

Wear seat belts



MAN 316

Multi-message – No unauthorised access



MAN 320

Multi-message – Fire action



MAN 317

Multi-message – First aid



MAN 321

Multi-message – Fire action



MAN 317


Fire door keep shut – vertical



MAN 322

# MANDATORY SAFETY SIGNS

## Use guard




MAN 323

## Lift correctly



MAN 330

## Stack correctly



MAN 324

## Pedestrians must use this route



MAN 331

## Keep locked



MAN 325

## Drive slowly



MAN 332

## Sound horn




MAN 326

## Wear safety harness



MAN 333

## Would all visitors please report to reception




MAN 327

## All visitors and drivers must report to reception




MAN 334

## Permit to work must be obtained



MAN 328

## This area must be kept clear of all obstructions



MAN 335

## Multi-message – Escalator safety



MAN 329

## Wear dust mask



MAN 336

# MANDATORY SAFETY SIGNS

Safety helmets must be worn in this area



MAN 337

Wear hard hats



MAN 344

Head protection must be worn



MAN 338

Safety helmets must be worn at all times on this site



MAN 345

Ear protection zone / Ear protectors must be worn in this area



MAN 339

Ear protectors symbol




MAN 346

Ear protectors must be worn in this area



MAN 340

Wear ear protectors



MAN 347

Hearing protection must be worn




MAN 341

Wear ear protectors when operating this machine



MAN 348

High noise levels use ear protectors



MAN 342

Ear protection must be worn in this area



MAN 343

# MANDATORY SAFETY SIGNS

Eye protection must be worn



MAN 349

Goggles symbol



MAN 356

Wear face shield



MAN 350

Wear goggles



MAN 357

Wear gloves



MAN 351

Multi-message – Wear eye protection



MAN 358

Protective footwear must be worn in this area



MAN 352

Hand protection must be worn



MAN 359

All visitors must wear personal protective equipment on this site



MAN 353

Foot protection must be worn



MAN 360

Wear protective clothing



MAN 354

Approved personal protective equipment must be worn at all times



MAN 361

High visibility clothing must be worn in this area



MAN 355

Lab coats must be worn in this area



MAN 362

# HAZARD WARNING SIGNS

## Caution Corrosive Substance



HAZ 401

## Danger Acid



HAZ 406

## Caustic



HAZ 402

## Acid



HAZ 407

## Harmful Chemicals



HAZ 403

## Caution Asbestos



HAZ 408

## Caution Chemical store



HAZ 404

## Danger Highly flammable gases



HAZ 409

## Danger Highly flammable liquid



HAZ 405

## Danger Highly flammable store



HAZ 410

# MANDATORY SAFETY SIGNS

Danger Highly flammable LPG



HAZ 411

Danger Highly flammable



HAZ 418

Caution Highly flammable material



HAZ 412

Caution Fragile roof



HAZ 419

Danger Trip hazard



HAZ 413

Caution Overhead hazard



HAZ 420

Danger Falling objects



HAZ 414

Danger Beware of step



HAZ 421

Caution Mind the step



HAZ 415

Danger Drop



HAZ 422

Caution Wet floor



HAZ 416

Danger Slippery surface



HAZ 423

Danger Fork lift trucks



HAZ 417

Caution Fork lift trucks



HAZ 424



# HAZARD WARNING SIGNS

## Caution Symbol



HAZ 425

## Caution Reversing vehicles



HAZ 433

## Danger



HAZ 426

## Danger very hot water




HAZ 434

## High temperature



HAZ 427

## Electrical Hazard symbol - white background



HAZ 435

## Electrical hazard symbol - all yellow




HAZ 428

## Caution Risk of electric shock



HAZ 436

## Main switch



HAZ 429

## Caution Live busbars



HAZ 437

## Caution High voltage



HAZ 430

## Danger Mains voltage



HAZ 438

## Caution Overhead cables



HAZ 431

## Danger of death



HAZ 439

## Caution 240 volts



HAZ 432

## Caution 415 volts



HAZ 440

# HAZARD WARNING SIGNS: EXPLOSIVE ATMOSPHERE SIGNS

Danger Explosive atmosphere



HAZ 454

Danger Explosive atmosphere



HAZ 457

Multi-Message - Danger Explosive atmosphere & No unauthorised access



HAZ 455

Multi-Message - Explosive atmosphere & No smoking No naked lights



HAZ 458

Multi-Message - Danger Explosive atmosphere & before undertaking...



HAZ 456

Multi-Message - Danger Explosive atmosphere & Keep locked shut



HAZ 459

# MANDATORY SAFETY SIGNS

## Caution Non-ionising radiation



HAZ 441

## Danger Laser hazard



HAZ 448

## Caution Biological hazard



HAZ 442

## Radiation hazard symbol



HAZ 449

## Danger Moving machinery



HAZ 443

## Hazardous area



HAZ 450

## Danger Hot



HAZ 444

## Danger Arc Welding



HAZ 451

## Caution This machine runs hot



HAZ 445

## Danger Automatic machinery liable to start without warning



HAZ 452

## Caution Mind your head



HAZ 446

## This car park is under 24 hour surveillance



HAZ 453

## CCTV in operation



HAZ 447

# PROHIBITION SIGNS

No smoking



PROHIB 401

Smoking strictly prohibited



PROHIB 406

Please do not smoke



PROHIB 402

No smoking beyond this point



PROHIB 407

No smoking Company policy



PROHIB 403

No smoking please



PROHIB 408

No smoking in this building



PROHIB 404

No smoking in the toilets



PROHIB 409

No smoking Hazardous area



PROHIB 405

You are entering a no smoking area



PROHIB 410

# PROHIBITION SIGNS

This is a no smoking zone



PROHIB 411

Please do not smoke - Desk Sign



PROHIB 412

No smoking in this vehicle



PROHIB 418

No smoking symbol



PROHIB 419

No smoking sign



PROHIB 413

Thank you for not smoking



PROHIB 420

No smoking



PROHIB 414

Smoking prohibited in this area



PROHIB 421

Multi-message - No smoking No drinking or eating



PROHIB 415

Smoking and naked flames prohibited



PROHIB 422

No smoking, eating or drinking within this area



PROHIB 416

Multi-message - No smoking No naked light



PROHIB 423

No entry



PROHIB 417

No thoroughfare



PROHIB 424

# PROHIBITION SIGNS

No admittance Authorised personnel only



PROHIB 425

No admittance



PROHIB 431

Unauthorised persons prohibited beyond this point



PROHIB 426

No access



PROHIB 432

No admittance without a permit to work



PROHIB 427

No access unless trained and authorised



PROHIB 433

No pedestrians



PROHIB 428

No access for unauthorised persons



PROHIB 434

No entry



PROHIB 429

No exit



PROHIB 435

No unauthorised vehicles beyond this point



PROHIB 430

No parking



PROHIB 436

# PROHIBITION SIGNS

Fork lift trucks prohibited



PROHIB 437

Unauthorised persons not to use this machine



PROHIB 444

No unauthorised person to operate this machine



PROHIB 438

Do not use Out of order



PROHIB 445

In the event fire do not use lifts



PROHIB 439

Is it strictly forbidden to climb on the racking



PROHIB 446

Do not start Men working on machine



PROHIB 440

Do not switch on. Men are working on machine



PROHIB 447

No fouling



PROHIB 441

No dogs except guide dogs



PROHIB 448

Do not use mobile phones



PROHIB 442

Do not use mobile phones beyond this point



PROHIB 449

Turn off all mobile phones



PROHIB 443

Not drinking water



PROHIB 450

# MULTI-MESSAGE SIGNS

Multi-message - Warning Asbestos insulation, Do not disturb & Avoid damage



MULTI 601

Multi-message - Danger multi-hazard area & No admittance... & All visitors...



MULTI 605

Multi-message - Danger & Keep out




MULTI 602

Multi-message - Danger Fragile roof & Use crawling boards



MULTI 606

Multi-message - Danger High voltage & Keep away



MULTI 603

Multi-message - Caution Dangerous site & keep out



MULTI 607

Multi-message - Danger Deep water & Keep out



MULTI 604

Multi-message - Danger High voltage & Keep out



MULTI 608



# MULTI-MESSAGE SIGNS

Multi-message – No smoking or naked flames & Highly flammable material



MULTI 609

Multi-message – No smoking or naked flames & LPG Highly flammable



MULTI 615

Multi-message – No smoking or naked flames & Petroleum spirit highly flammable



MULTI 610

Multi-message – Do not operate & Caution Men working on this equipment



MULTI 616

Multi-message – Do not cut or make any alteration & Caution Asbestos material



MULTI 611

Multi-message – Danger Hazard area & Do not enter



MULTI 617

Multi-message – Danger Risk of explosion & No smoking No naked lights



MULTI 612

Multi-message – Danger High voltage & No unauthorised access



MULTI 618

Multi-message – Danger & No unauthorised access



MULTI 613

Multi-message – Dangerous chemicals & No unauthorised access



MULTI 619

Multi-message – Hazardous area & No unauthorised access



MULTI 614

# PHOTOLUMINESCENT SIGNS

ABC powder



PHOTO 601

Foam spray



PHOTO 605

Water



PHOTO 602

Carbon dioxide



PHOTO 606

Fire hose reel



PHOTO 603

Carbon dioxide



PHOTO 607

BC powder



PHOTO 604

Wet chemical



PHOTO 608

# PHOTOLUMINESCENT SIGNS

Fire exit / running man right



PHOTO 609

Exit / running man right



PHOTO 618

Fire exit / running man right / arrow right



PHOTO 610

Stairwell signs



PHOTO 619

Arrow left / running man left / Fire exit



PHOTO 611

Fire exit / running man right / arrow down



PHOTO 612

Fire exit / running man right / arrow up



PHOTO 613

Exit / running man right / arrow right



PHOTO 614

Arrow left / running man left / Exit



PHOTO 620

Exit / running man right / arrow up



PHOTO 615

Exit / running man right / arrow down



PHOTO 621

Arrow left down / running man left / Exit



PHOTO 616

Arrow left up / running man left / Exit



PHOTO 622

Exit / running man right / arrow right down



PHOTO 617

Exit / man running right / arrow right up



PHOTO 623

# REFLECTIVE TRAFFIC & WORKS SAFETY SIGNS

Stop



TRAF 701

Give way



TRAF 706

No entry



TRAF 702

5 miles per hour speed limit



TRAF 707

10 miles per hour speed limit



TRAF 703

15 miles per hour speed limit



TRAF 708

No left turn



TRAF 704

No right turn



TRAF 709

Give way to oncoming traffic



TRAF 705

Height restriction



TRAF 710

Specify the height restriction when ordering

# REFLECTIVE TRAFFIC & WORKS SAFETY SIGNS

Two way traffic ahead



TRAF 711

Pedestrians crossing



TRAF 719

Uneven road surface



TRAF 712

Priority left lane traffic



TRAF 720

Black/yellow diagonal hazard



TRAF 713

Red/white diagonal hazard



TRAF 721

Height restriction



TRAF 714

Specify the height restriction when ordering

In



TRAF 715

Out



TRAF 722

Arrow right one way



TRAF 716

Arrow left one way



TRAF 723

No exit



TRAF 717

No entry



TRAF 724

No parking in front of these gates



TRAF 718

No parking in this area



TRAF 725

# REFLECTIVE TRAFFIC & WORKS SAFETY SIGNS

Slow



TRAF 726

No unauthorised vehicles allowed beyond this point



TRAF 732

Disabled badge holders only



TRAF 727

Warning Unauthorised vehicles will be clamped



TRAF 733

Warning CCTV security in operation on these premises



TRAF 728

Warning Private Parking Wheel Clamping in Operation



TRAF 734

Warning No Parking Vehicles Will Be Clamped



TRAF 729

Security notice Closed circuit T.V. surveillance in operation



TRAF 735

Goods inwards / arrow left



TRAF 730

Notice Vehicles and contents are left here entirely at owners risk



TRAF 736

Fire assembly point



TRAF 731

# VANDAL RESISTANT TRAFFIC & PROPERTY SIGNS

5 miles per hour speed limit



TRAF 737

10 miles per hour speed limit



TRAF 742

15 miles per hour speed limit



TRAF 738

Stop



TRAF 743

Give way



TRAF 739

No entry



TRAF 744

Slow



TRAF 740

Caution Speed ramps



TRAF 745

No unauthorised vehicles allowed beyond this point



TRAF 741

No parking



TRAF 746

# VANDAL RESISTANT TRAFFIC & PROPERTY SIGNS

This area must be kept clear for emergency vehicles



TRAF 747

Private Road Authorised Vehicles Only



TRAF 758

In



TRAF 748

Out



TRAF 759

Arrow right one way



TRAF 749

Arrow left one way



TRAF 760

No entry



TRAF 750

No exit



TRAF 761

Private property keep out



TRAF 751

Private property trespassers will be prosecuted



TRAF 762

Visitors car park



TRAF 752

Private car park



TRAF 763

Reserved Parking



TRAF 753

Notice Vehicles and contents are left here entirely at owners risk



TRAF 764

Disabled badge holders only



TRAF 754

Please do not park in front of these gates



TRAF 765

Warning CCTV cameras in operation on these premises



TRAF 755

Warning Unauthorised vehicles will be clamped



TRAF 766

Warning Private Parking Wheel Clamping in operation



TRAF 756

Warning No Parking Vehicles Will Be Clamped



TRAF 767

No Ball Games



TRAF 757



# FLOOR SAFETY SIGNS

## Emergency Escape & Fire Equipment Signs



STD SAFE 801



STD SAFE 802



STD SAFE 803



STD SAFE 804

## Mandatory Signs



STD SAFE 805



STD SAFE 806



STD SAFE 807



STD SAFE 808



STD SAFE 809



STD SAFE 810



STD SAFE 811

## Prohibition Signs



STD SAFE 812



STD SAFE 813



STD SAFE 814



STD SAFE 815



STD SAFE 816



STD SAFE 817



STD SAFE 818

## Traffic Signs



STD SAFE 819



STD SAFE 820

## Warning Signs



STD SAFE 821



STD SAFE 822



STD SAFE 823



STD SAFE 824



STD SAFE 825



STD SAFE 826

# A3, A4 & A5 SIGNS

Danger Electric shock risk



STD SAFE 827

Danger Fork lift trucks



STD SAFE 835

Danger Slippery surface



STD SAFE 828

Caution Mind the step



STD SAFE 836

Caution Biological hazard



STD SAFE 829

Caution Fragile roof



STD SAFE 837

Running man right / arrow right / Fire exit



STD SAFE 830

First Aid



STD SAFE 838

Running man right / arrow down / Fire exit



STD SAFE 831

Fire assembly point



STD SAFE 839

Arrow left / running man left / Fire exit



STD SAFE 832

No admittance Authorised personnel only



STD SAFE 840

No entry



STD SAFE 833

Unauthorised persons prohibited beyond this point



STD SAFE 841

No access for unauthorised persons



STD SAFE 834

Smoking strictly prohibited



STD SAFE 842

# A3, A4 & A5 SIGNS

No smoking



STD SAFE 843

No smoking company policy



STD SAFE 852

Fire Wardens



STD SAFE 844

Fire extinguisher



STD SAFE 853

Fire Alarm Call Point



STD SAFE 845

Fire extinguisher containing water




STD SAFE 854

Fire extinguisher containing powder



STD SAFE 846

Fire extinguisher containing CO



STD SAFE 855

Fire extinguisher containing foam



STD SAFE 847

Eye protection must be worn



STD SAFE 848

Hand protection must be worn



STD SAFE 856

Hearing protection must be worn



STD SAFE 849

Head protection must be worn



STD SAFE 857

Foot protection must be worn



STD SAFE 850

Fire action



STD SAFE 858

All visitors must report to reception



STD SAFE 851

Keep clear



STD SAFE 859

# SAFETY SIGNS A5/A4/A3/A2/A1 STANDARD RANGE



STD SAFE 860    STD SAFE 861    STD SAFE 862    STD SAFE 863    STD SAFE 864    STD SAFE 865    STD SAFE 866    STD SAFE 867    STD SAFE 868



STD SAFE 869    STD SAFE 870    STD SAFE 871    STD SAFE 872    STD SAFE 873    STD SAFE 873    STD SAFE 874    STD SAFE 875    STD SAFE 876



STD SAFE 877    STD SAFE 878    STD SAFE 879    STD SAFE 880    STD SAFE 881    STD SAFE 882    STD SAFE 883    STD SAFE 884    STD SAFE 885



STD SAFE 886    STD SAFE 887    STD SAFE 888    STD SAFE 889    STD SAFE 890    STD SAFE 891    STD SAFE 892    STD SAFE 893    STD SAFE 894



STD SAFE 895    STD SAFE 896    STD SAFE 897    STD SAFE 898    STD SAFE 899    STD SAFE 8101    STD SAFE 8102

# SAFETY SIGNS ON ROLLS - LAMINATED POLYESTER

## Warning Signs



STD SAFE 8104



STD SAFE 8105



STD SAFE 8106



STD SAFE 8107



STD SAFE 8108



STD SAFE 8109



STD SAFE 8110



STD SAFE 8111



STD SAFE 8112



STD SAFE 8113

## Mandatory Signs



STD SAFE 8114



STD SAFE 8115



STD SAFE 8116



STD SAFE 8117



STD SAFE 8118



STD SAFE 8119



STD SAFE 8120



STD SAFE 8121



STD SAFE 8122



STD SAFE 8123



STD SAFE 8124



STD SAFE 8125



STD SAFE 8126



STD SAFE 8127

## Prohibition Signs



STD SAFE 8128



STD SAFE 8129



STD SAFE 8130



STD SAFE 8131



STD SAFE 8132



STD SAFE 8133



STD SAFE 8134



STD SAFE 8135



STD SAFE 8136



STD SAFE 8137

# TRANSPORT SIGNS

Explosive



HAZC 915

Explosive



HAZC 922

Explosive



HAZC 916

Explosive



HAZC 923

Flammable gas



HAZC 917

Flammable gas



HAZC 924

Non-flammable, non toxic gas



HAZC 918

Non-flammable, non-toxic gas



HAZC 925

Toxic gas



HAZC 919

Highly flammable liquid



HAZC 926

Flammable liquid



HAZC 920

Flammable solid



HAZC 927

Spontaneous ignition



HAZC 921

Flammable when wet



HAZC 928

# TRANSPORT SIGNS



Pictogram Order Ref.	HAZC 901	HAZC 902	HAZC 903	HAZC 904	HAZC 905
-------------------------	----------	----------	----------	----------	----------



Pictogram Order Ref.	HAZC 906	HAZC 907	HAZC 908	HAZC 909	HAZC 910
-------------------------	----------	----------	----------	----------	----------



Pictogram Order Ref.	HAZC 911	HAZC 912	HAZC 913	HAZC 914
-------------------------	----------	----------	----------	----------

# TRANSPORT SIGNS

Flammable when wet



HAZC 929

Oxidizing substance



HAZC 936

Organic peroxide



HAZC 930

Toxic substance



HAZC 937

Infectious substance



HAZC 931

Radioactive 7A I



HAZC 938

Radioactive 7B II



HAZC 932

Radioactive 7C III



HAZC 939

Radioactive 7D



HAZC 933

Radioactive 7DA



HAZC 940

Corrosive substance



HAZC 934

Dangerous substance



HAZC 941

Dangerous substance for the Environment



HAZC 935



# MARITIME TRANSPORT SIGNS

## Class 1 : Explosive substances

Explosive



HAZC 942

## Class 2 : Non-flammable, flammable gases

Poison gas



HAZC 943

Oxygen



HAZC 944

Non-flammable compressed gas



HAZC 945

Flammable gas



HAZC 946

Chlorine



HAZC 947

## Class 3: Flammable liquids

Flammable liquid



HAZC 948

Combustible



HAZC 949

Fuel oil



HAZC 950

## Class 4: Flammable solid substances

Flammable solid



HAZC 951

Spontaneously combustible



HAZC 952

Dangerous when wet



HAZC 953

## Class 5: Oxidizing substances and organic peroxides

Oxidizing agent



HAZC 954

Organic peroxide



HAZC 955

## Class 6: Toxic and harmful substances

Harmful



HAZC 956

Poison



HAZC 957

Irritant



HAZC 958

Infectious substance



HAZC 959

## Class 7: Radioactive substances

Radioactive



HAZC 960

## Class 8: Corrosive substances

Corrosive



HAZC 961

## Class 9: Miscellaneous hazardous substances

Dangerous substance



HAZC 962

Marine pollutant



HAZC 963

High temperature




HAZC 964

# HAZARDOUS SUBSTANCES IDENTIFICATION


## GHS Labels

Material: Laminated (self-adhesive)



## HSID Labels

Material: Laminated (self-adhesive)



## Packaging Labels

Material: Laminated (self-adhesive)



# IMO SAFETY SIGNS

Primary escape route ISSA: 47.501.70



**IMO 1000**

Secondary escape route ISSA: 47.501.71



**IMO 1001**

Closing appliance for ext. vent. inlet or outlet ISSA: 47.501.72



**IMO 1002**

Inert gas installation ISSA: 47.501.73



**IMO 1003**

High expansion foam supply tank ISSA: 47.501.74



**IMO 1004**

CO<sub>2</sub> / Nitrogen bulk installation ISSA: 47.501.75



**IMO 1005**

Emergency generator ISSA: 47.501.76



**IMO 1006**

Emergency switchboard ISSA: 47.501.77



**IMO 1007**

Remote ventilation shut off ISSA: 47.501.78



**IMO 1008**

Portable fire extinguisher P6 ISSA: 47.501.79



**IMO 1009**

Portable fire extinguisher LW9 ISSA: 47.501.79



**IMO 1010**

Portable fire extinguisher Halon 1211/4 ISSA: 47.501.79



**IMO 1011**

Portable fire extinguisher CO<sub>2</sub>/2 ISSA: 47.501.79



**IMO 1012**

Portable fire extinguisher P2 ISSA: 47.501.79



**IMO 1013**

Portable fire extinguisher P1 ISSA: 47.501.79



**IMO 1014**

Wheeled fire extinguisher P50 ISSA: 47.501.79



**IMO 1015**

Wheeled fire extinguisher CO<sub>2</sub>/30 ISSA: 47.501.79



**IMO 1016**

Fire extinguisher ISSA: 47.509.13



**IMO 1017**

Fire alarm ISSA: 47.509.11



**IMO 1018**

Fire hose reel ISSA: 47.509.15



**IMO 1019**

Emergency phone ISSA: 47.509.19



**IMO 1020**

Fire point ISSA: 47.509.17



**IMO 1021**

This way ISSA: 47.509.43



**IMO 1022**

This way ISSA: 47.509.45



**IMO 1023**



**IMO 1024**

Level / Floor 1



**IMO 1025**

Level / Floor 2



**IMO 1026**

Level / Floor 3



**IMO 1027**

Level / Floor 4



**IMO 1028**

Level / Floor 5



**IMO 1029**

Level / Floor 6



**IMO 1030**

Level / Floor 7



**IMO 1031**

Level / Floor 8



**IMO 1032**

Level / Floor 9



**IMO 1033**

# IMO SAFETY SIGNS

## Evacuation & First Aid

Lifeboat ISSA: 47.502.11



IMO 1034

Rescue boat ISSA: 47.502.12



IMO 1035

Life raft ISSA: 47.502.13



IMO 1036

Davit launched life raft ISSA: 47.502.14



IMO 1037

Embarkation ladder ISSA: 47.502.15



IMO 1038

Evacuation slide ISSA: 47.502.16



IMO 1039

Life buoy ISSA: 47.502.17



IMO 1040

Life buoy with line ISSA: 47.502.18



IMO 1041

Life buoy with light ISSA: 47.502.19



IMO 1042

Life buoy with light and smoke ISSA: 47.502.20



IMO 1043

Life jacket ISSA: 47.502.21



IMO 1044

Child's life jacket ISSA: 47.502.22



IMO 1045

Immersion suit ISSA: 47.502.23



IMO 1046

Survival craft portable radio ISSA: 47.502.24



IMO 1047

Navigation guide EPIRB ISSA: 47.502.25



IMO 1048

Meeting point ISSA: 47.502.30



IMO 1053

This way ISSA: 47.506.97



IMO 1054

This way ISSA: 47.506.98



IMO 1055

Emergency ladder ISSA: 47.506.99



IMO 1056

First aid ISSA: 47.506.25



IMO 1057

Escape route right ISSA: 47.506.26



IMO 1058

Escape route left ISSA: 47.506.27



IMO 1059

Eye wash ISSA: 47.506.28



IMO 1060

Emergency stop ISSA: 47.506.29



IMO 1061

Emergency phone ISSA: 47.506.30



IMO 1062

Emergency shower ISSA: 47.506.31



IMO 1063

## Fire Control / Protection

A class fire door ISSA: 47.501.34



**IMO 1064**

A class self-closing fire door ISSA: 47.501.35



**IMO 1065**

Portable foam applicator ISSA: 47.501.36



**IMO 1066**

B class division ISSA: 47.501.37



**IMO 1067**

B class fire door ISSA: 47.501.38



**IMO 1068**

B class self-closing fire door ISSA: 47.501.39



**IMO 1069**

B class fire door ISSA: 47.501.40



**IMO 1070**

B class self-closing fire door ISSA: 47.501.41



**IMO 1071**

Main vertical zone ISSA: 47.501.42



**IMO 1072**

Fire alarm panel ISSA: 47.501.43



**IMO 1073**

Sprinkler installation ISSA: 47.501.44



**IMO 1074**

Sprinkler ISSA: 47.501.45



**IMO 1075**

Sprinkler horn ISSA: 47.501.46



**IMO 1076**

Sprinkler section valves ISSA: 47.501.47



**IMO 1077**

CO<sub>2</sub> battery ISSA: 47.501.48



**IMO 1078**

Halon release station ISSA: 47.501.49



**IMO 1079**

Halon 1301 bottles placed in protected area ISSA: 47.501.50



**IMO 1080**

Powder installation ISSA: 47.501.51



**IMO 1081**

Powder monitor (gun) ISSA: 47.501.52



**IMO 1082**

Powder hose and handgun ISSA: 47.501.53



**IMO 1083**

Powder release station ISSA: 47.501.54



**IMO 1084**

Flame detector ISSA: 47.501.55



**IMO 1085**

Smoke detector ISSA: 47.501.56



**IMO 1086**

Fire main with fire valves ISSA: 47.501.57



**IMO 1087**

Hose box with spray / jet fire nozzle ISSA: 47.501.58



**IMO 1088**

International shore connection ISSA: 47.501.59



**IMO 1089**

Fire pump ISSA: 47.501.60



**IMO 1090**

Heat detector ISSA: 47.501.61



**IMO 1091**

Gas detector ISSA: 47.501.62



**IMO 1092**

Fire damper in vent duct ISSA: 47.501.63



**IMO 1093**

Remote controlled skylights ISSA: 47.501.64



**IMO 1094**

Remote controlled fuel / lubricated oil valves ISSA: 47.501.65



**IMO 1095**

Control station ISSA: 47.501.66



**IMO 1096**

Locker with fireman's outfit ISSA: 47.501.67



**IMO 1097**

Breathing apparatus ISSA: 47.501.68



**IMO 1098**

Locker with protective clothing ISSA: 47.501.69



**IMO 1099**

# IMO SAFETY SIGNS

## Evacuation & First Aid

Level / Floor 0 ISSA: 47.503.01

0

IMO 1100

Level / Floor 1 ISSA: 47.503.03

1

IMO 1101

Level / Floor 2 ISSA: 47.503.05

2

IMO 1102

Level / Floor 3 ISSA: 47.503.07

3

IMO 1103

Level / Floor 4 ISSA: 47.503.09

4

IMO 1104

Level / Floor 5 ISSA: 47.503.11

5

IMO 1105

Level / Floor 6 ISSA: 47.503.13

6

IMO 1106

Level / Floor 7 ISSA: 47.503.15

7

IMO 1107

Level / Floor 8 ISSA: 47.503.17

8

IMO 1107

Level / Floor 9 ISSA: 47.503.19

9

IMO 1108

Drinking water



IMO 1109

Permission to ...



IMO 1110

Stairway



IMO 1111

Thermal protective aid



IMO 1112

Anti exposure suit



IMO 1113

Exit



IMO 1114

Smoking area



IMO 1115

Eating and drinking area



IMO 1116

## Obligation

Fasten seat belts ISSA: 47.502.01



IMO 1117

Secure hatches ISSA: 47.502.02



IMO 1118

Start engine ISSA: 47.502.03



IMO 1119

Lower lifeboat to water ISSA: 47.502.04



IMO 1120

Lower life raft to water ISSA: 47.502.05



IMO 1121

Lower rescue boat to water ISSA: 47.502.06



IMO 1122

Release falls ISSA: 47.502.07



IMO 1123

Start water spray ISSA: 47.502.08



IMO 1124

Start air supply ISSA: 47.502.09



IMO 1125

Release grips ISSA: 47.502.10



IMO 1126

# ***Business Printing***

***Business cards  
Time sheets  
Invoice books  
H&S Books  
Letterheads and Pads  
Rack cards  
Stickers any size***

***We can do the lot!  
When you want them.***



# Flags and footpath signs




Standard Heavy Base Footpath Sign  
800x600mm or 900x600mm panel  
Base colour Black , Deep Blue, Light Blue, Mid Blue,  
Red, Yellow, Dark Green, Grey, White



Standard A-Frame  
900x600mm panel  
Black



Safety A-frame  
Small 670x300mm  
Large 915x330mm  
Yellow



and plenty of other options, just ask and we can help.

## Premium flag range - High strength pole set & 5 day production Basics flag range - Lighter pole set & 10 day production

Teardrop  
Single and Double sided

Windblade  
Single and Double sided



small  
2.2mx900m System  
(flag 2m)



large  
3.2mx1100m System  
(flag 2.8m)



extra large  
4.6mx1300m System  
(flag 3.4m)  
Single Sided Only



small  
2.5mx710m System  
(flag 2.2m)



large  
3.9mx700m System  
(flag 3.3m)



extra large  
5.2mx900m System  
(flag 4.0m)  
Single Sided Only



Stackable Water Base  
13 and 30kg stackable bases  
450x450x50mm & 550x450x50mm



Cross Feet 8kg 500x500x150  
for indoor use on small flag (foldaway)



Flat Plate  
Small 8kg 300x300x150mm  
Large 13kg 300x300x150mm  
Extra Large 19kg 500x300x150mm



Flag Spike  
2kg  
ground level



60° Angled  
Wall Mount  
suitable for small flag only



Vertical  
Wall Mount  
suitable for small flag only



TowBar Mount



U Base with Rod

Railway Station, 14 Station Street, Timaru  
info@allaboutsigs.co.nz • 03 686 6256

**ALL ABOUT  
SIGNS**